



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

KbdDeRegister

This call deregisters a keyboard subsystem previously registered within a session. Only the process that issued the [KbdRegister](#) may issue KbdDeRegister.

Syntax

```
KbdDeRegister ()
```

Return Code

rc (USHORT) - return:Return code descriptions are:

- 0 NO_ERROR
- 411 ERROR_KBD_DEREGISTER
- 464 ERROR_KBD_DETACHED
- 504 ERROR_KBD_EXTENDED_SG

Bindings

C

```
#define INCL_KBD  
  
USHORT rc = KbdDeRegister(VOID);  
  
USHORT rc; /* return code */
```

MASM

```
EXTRN KbdDeRegister:FAR  
INCL_KBD EQU 1
```

CALL KbdDeRegister

Returns **WORD**

From:

<http://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<http://ftp.osfree.org/doku/doku.php?id=en:docs:fapi:kbdregister&rev=1636021083>

Last update: **2021/11/04 10:18**

