



Please help to find info about entries marked as *No info*


## REXXAPI


| Ordinal | Name                     | Desc                                 | Status |
|---------|--------------------------|--------------------------------------|--------|
| 1       | RexxCreateQueue          |                                      |        |
| 2       | RexxDeleteQueue          |                                      |        |
| 3       | RexxAddQueue             |                                      |        |
| 4       | RexxPullQueue            |                                      |        |
| 5       | RexxQueryQueue           |                                      |        |
| 6       | RexxRegisterSubcomDll    |                                      |        |
| 7       | RexxRegisterSubcomExe    |                                      |        |
| 8       | RexxQuerySubcom          |                                      |        |
| 9       | RexxDeregisterSubcom     |                                      |        |
| 10      | RexxLoadSubcom           |                                      |        |
| 11      | RexxRegisterExitDll      |                                      |        |
| 12      | RexxRegisterExitExe      |                                      |        |
| 13      | RexxDeregisterExit       |                                      |        |
| 14      | RexxQueryExit            |                                      |        |
| 15      | RexxCallExit             |                                      |        |
| 16      | RexxCallSubcom           |                                      |        |
| 17      | RexxRegisterFunctionDll  |                                      |        |
| 18      | RexxRegisterFunctionExe  |                                      |        |
| 19      | RexxDeregisterFunction   |                                      |        |
| 20      | RexxQueryFunction        |                                      |        |
| 21      | RexxCallFunction         |                                      |        |
| 22      | RexxAddMacro             |                                      |        |
| 23      | RexxDropMacro            |                                      |        |
| 24      | RexxClearMacroSpace      |                                      |        |
| 25      | RexxLoadMacroSpace       |                                      |        |
| 26      | RexxQueryMacro           |                                      |        |
| 27      | RexxReorderMacro         |                                      |        |
| 28      | RexxSaveMacroSpace       |                                      |        |
| 29      | RexxExecuteMacroFunction |                                      |        |
| 30      | RXMACROLOAD              | Load functions into Macrospace       |        |
| 31      | RXMACROSAVE              | Save functions in Macrospace         |        |
| 32      | RXSUBCOMLOAD             | Load subcommand environment          |        |
| 33      | RXMACRODROP              | Delete function from Macrospace      |        |
| 34      | RXEXITQUERY              | Query system exit environment name   |        |
| 35      | RXMACROERASE             | Erase functions from Macrospace      |        |
| 36      | RXSUBCOMDROP             | Deregister Subcommand Environment    |        |
| 37      | RXMACROQUERY             | Search for function in Macrospace    |        |
| 38      | RXMACROCHANGE            | Change or Add function to Macrospace |        |
| 39      | RXSUBCOMQUERY            | Query subcommand environment name    |        |

| Ordinal | Name                 | Desc                                    | Status |
|---------|----------------------|-----------------------------------------|--------|
| 40      | RXFUNCTIONCALL       | Call function                           |        |
| 41      | RXEXITREGISTER       | Register system exit environment        |        |
| 42      | RXMACROREORDER       | Change search order in Macrospace       |        |
| 43      | RXSUBCOMEXECUTE      | Send commands to subcommand environment |        |
| 44      | RXSUBCOMREGISTER     | Register subcommand environment         |        |
| 45      | RXFUNCTIONQUERY      | Query list of functions                 |        |
| 46      | RXFUNCTIONREGISTER   | Register function                       |        |
| 47      | RXEXITDROP           | Deregister system exit environment      |        |
| 48      | RXFUNCTIONDEREGISTER | Remove function                         |        |

## OS/2 DLLs

|                                         |                                                                                                                                                |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Base API                                | DOSCALLS EMXWRAP SUB32 ANSICALL NLS MSG MONCALLS<br>KBDSCALLS MOUCALLS VIOCALLS SESMGR BKSCALLS BMSCALLS<br>BVSCALLS NAMPIPES QUECALLS OS2CHAR |
| Bidirectional NLS                       | BDCALLS BDCALLS32 BDIME BDBVH BDVIEW BDWPCLS BIDIPM<br>PMBIDI                                                                                  |
| Unicode API                             | UCONV UNIKBD LIBUNI                                                                                                                            |
| BVH (Base Video Handlers)               | BVHINIT BVHMPA BVHVGGA BVHVGGA BVHWNDW                                                                                                         |
| GRADD subsystem                         | VMAN SOFTDRAW GRE2VMAN GENGRADD                                                                                                                |
| IPF (Information Presentation facility) | HELPMGR HPMGRMRI MINXOBJ IBMHMGR NEWVIEW MINXMRI<br>ERRTXT                                                                                     |
| REXX                                    | REXX REXXAPI REXXUTIL REGINA                                                                                                                   |
| The core PM DLL's                       | PMMERGE PMMRGRES PMSHAPI PMSHLTKT PMGRE PMGPI PMDRAG<br>PMCTLS PMMLE PMSPL PMVIOP PMWIN                                                        |
| Open32                                  | PMWINX MIRRORS REGISTRY                                                                                                                        |
| Intelligent Font Interface drivers      | PMATM TRUETYPE PMUNIF FREETYPE PMPRE                                                                                                           |
| Data Exchange                           | PMCLIP PMDDE PMDDEML                                                                                                                           |
| VDM PM interface                        | PMVDMH PMVDMP SEAMLESS SHIELD                                                                                                                  |
| WPS                                     | PMWP PMWPMRU PMVDDROP                                                                                                                          |
| Miscellaneous                           | PMPIC PMTKT MVDM                                                                                                                               |
| SOM API                                 | SOM SOMC                                                                                                                                       |





2016/07/25 02:16 · prokushev · 0 Comments

From:

<https://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://ftp.osfree.org/doku/doku.php?id=en:docs:os2:modules:rexxapi>

Last update:

2021/10/11 04:41