



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushhev · [0 Comments](#)

2021/08/20 03:18 · prokushhev · [0 Comments](#)

MouRegister

This call registers a mouse subsystem within a session.

Syntax

```
MouRegister (ModuleName, EntryName, Mask)
```

Parameters

- ModuleName (PSZ) - input : Address of the dynamic link module name. The maximum length is 9 bytes (including ASCIIZ terminator).
- EntryName (PSZ) - input : Address of the dynamic link entry point name of a routine that receives control when any of the registered functions are called. The maximum length is 33 bytes (including ASCIIZ terminator).
- Mask (ULONG) - input : A mask of bits, where each bit set to 1 identifies a mouse function being registered.

Return Code

rc (USHORT) - return:Return code descriptions are:

- 0 NO_ERROR
- 385 ERROR_MOUSE_NO_DEVICE
- 413 ERROR_MOUSE_INVALID_ASCIIZ
- 414 ERROR_MOUSE_INVALID_MASK
- 415 ERROR_MOUSE_REGISTER
- 466 ERROR_MOU_DETACHED
- 505 ERROR_MOU_EXTENDED_SG

Remarks

The Base Mouse Subsystem is the default mouse subsystem. There can be only one MouRegister

outstanding for each session without an intervening MouDeRegister. MouDeRegister must be issued by the same process that issued MouRegister.

When any registered function is called, control is routed to EntryName. When this routine is entered, four additional values are pushed onto the stack. The first is the index number (Word) of the function being called. The second is a near pointer (Word). The third is the caller's DS register (Word). The fourth is the return address (DWord) to the mouse router. For example, if MouGetNumMickeys were called and control routed to EntryName, the stack would appear as if the following instructions were executed:

```
PUSH@ WORD    NumberOfMickeys
PUSH WORD    DeviceHandle
CALL FAR     MouGetNumMickeys
PUSH WORD    Function Code
CALL NEAR    Entry point in Mouse Router
PUSH DS
CALL FAR     EntryName.
```

When a registered function returns to the Mouse Router, AX is interpreted as follows:

- AX = 0 No error. Do not invoke the Base Mouse Subsystem routine. Return AX = 0.
- AX = -1 Invoke the BaseMouse Subsystem routine. Return AX = return code from the Base Mouse Subsystem.
- AX = error (if not 0 or -1) Do not invoke the Base Mouse Subsystem Routine. Return AX = error.

When the mouse router receives a mouse call, it routes it to the Base Mouse Subsystem unless an application or other mouse subsystem has previously issued MouRegister for that call. If the call was registered, the subsystem is entered at the EntryName specified, and provided with the applicable function code.

The registered function mask is used to determine whether a requested function is performed by the registered mouse subsystem or default to the Base Mouse Subsystem.

The following list shows the relationship of the mouse API calls and the Function Code passed to either the Base Mouse Subsystem or a registered mouse subsystem.

MOU API calls	Function Code	Function Mask
MouGetNumButtons	FC_MOUGETNUMBUTTONS (00H)	00000001H
MouGetNumMickeys	FC_MOUGETNUMMICKEYS (01H)	00000002H
MouGetDevStatus	FC_MOUGETDEVSTATUS (02H)	00000004H
MouGetNumQueEl	FC_MOUGETNUMQUEEL (03H)	00000008H
MouReadEventQue	FC_MOUREADEVENTQUE (04H)	00000010H
MouGetScaleFact	FC_MOUGETSCALEFACT (05H)	00000020H
MouGetEventMask	FC_MOUGETEVENTMASK (06H)	00000040H
MouSetScaleFact	FC_MOUSESETSCALEFACT (07H)	00000080H
MouSetEventMask	FC_MOUSESETEVENTMASK (08H)	00000100H
MouGetHotKey	FC_MOUGETHOTKEY (09H)	00000200H
MouSetHotKey	FC_MOUSEETHOTKEY (0AH)	00000400H
MouOpen	FC_MOUOPEN (0BH)	00000800H
MouClose	FC_MOUCLOSE (0CH)	00001000H

MOU API calls	Function Code	Function Mask
MouGetPtrShape	FC_MOUGETPTRSHAPE (0DH)	00002000H
MouSetPtrShape	FC_MOUSEPTRSHAPE (0EH)	00004000H
MouDrawPtr	FC_MOUDRAWPTR (0FH)	00008000H
MouRemovePtr	FC_MOUREMOVEPTR (10H)	00010000H
MouGetPtrPos	FC_MOUGETPTRPOS (11H)	00020000H
MouSetPtrPos	FC_MOUSEPTRPOS (12H)	00040000H
MouInitReal	FC_MOUINITREAL (13H)	00080000H
MouFlushQue	FC_MOUFLUSHQUE (14H)	00100000H
MouSetDevStatus	FC_MOUSEDEVSTATUS (15H)	00200000H

A registered mouse subsystem must leave the stack, on exit, in the exact state it was received.

Bindings

C

```
#define INCL_MOU

USHORT rc = MouRegister(ModuleName, EntryName, Mask);

PSZ ModuleName; /* Module Name */
PSZ EntryName; /* Entry Name */
ULONG Mask; /* Function Mask */

USHORT rc; /* return code */
```

MASM

```
EXTRN MouRegister:FAR
INCL_MOU EQU 1

PUSH@ ASCIIZ ModuleName ;Module Name
PUSH@ ASCIIZ EntryName ;Entry Name
PUSH DWORD Mask ;Function Mask
CALL MouRegister
```

Returns WORD

Related Functions

[MouDeRegister](#)

Family API	
DOS	Process Manager DosBeep DosExit DosSleep DosExecPgm
	File Manager DosChDir DosChgFilePtr DosClose DosDelete DosDupHandle DosMkDir DosMove DosQCurDir DosQCurDisk DosSet FileMode DosOpen DosQFileInfo DosRead DosQ FileMode DosQFSInfo DosQVerify DosRmDir DosSelectDisk DosFindClose DosFindFirst DosFindNext DosSet FileInfo DosSet Verify DosWrite DosFileLocks DosSet FHandState DosNewSize DosBufReset DosQFHandState DosSet FInfo
	Memory Manager DosFreeSeg DosSubAlloc DosSubFree DosSubSet DosAlloc Huge DosAlloc Seg DosRealloc Huge DosRealloc Seg DosGet Huge Shift DosCreate CS Alias
	NLS DosCaseMap DosGet Ctry Info DosGet DBCSEv DosSet Ctry Code DosGet Collate DosGet Message DosIns Message DosPut Message
	Date and Time DosSet Date Time DosGet Date Time
	Devices DosDevConfig DosDevIOCtl DosDevIOCtl2
	Signals DosHoldSignal DosSet Sig Handler
	Misc BadDynLink DosGet Env DosGet Machine Mode DosGet Version DosError DosErr Class DosSet Vec
KBD	KbdCharIn KbdFlushBuffer KbdGet Status KbdSet Status KbdStringIn KbdPeek
VIO	VioGet Buf VioGet Config VioGet Cur Pos VioGet Cur Type VioGet Phys Buf VioRead Cell Str VioRead Char Str VioScroll Up VioScroll Dn VioScroll If VioScroll Rt VioScr Un Lock VioSet Cur Pos VioSet Cur Type VioSet Mode VioGet Mode VioShow Buf VioWrt Cell Str VioWrt Char Str VioWrt Char Str Att VioWrt N Attr VioWrt N Cell VioWrt N Char VioWrt TTY VioScr Lock VioPop Up
Tools	BIND
Modules	DOSCALLS.DLL VIOCALS.DLL KBDCALLS.DLL MSG.DLL
Libraries	API.LIB OS2386.LIB FAPI.LIB DOSCALLS.LIB SUBCALLS.LIB

2018/08/25 15:05 · prokushev · 0 Comments

From:
<http://ftp.osfree.org/doku/> - osFree wiki



Permanent link:
<http://ftp.osfree.org/doku/doku.php?id=en:docs:fapi:mouregister>

Last update: **2022/09/01 14:58**