




osFree screenshots

Click on a thumbnail to enlarge. Oldest screenshots are shown first.


Version 0.0.2

All screenshots in this section are of software currently under development.

Boot Sequence 	With Original Bootsector 
Boot Sequence with LILO ¹⁾ 	OS/2 Test Application ²⁾ 
OS/2 Application Output ³⁾ 	

Version 0.0.3

OS/2 Personality server ⁴⁾ <pre> no PC1: Making hard partition type 4 no PC1: Probing PCI hardware no PC1: Probing PCI hardware (chip 00) no Loading driver: PCI\PCI\Standard no 80000000-FFFFF000: PCI bus no 80000000-FFFFF000: 32 bus, 80/768/768 (32x16/64/64-bit) no 80000000-FFFFF000: Digital Equipment Corporation BiliShip 21100 (16 no 80000000-FFFFF000: PCI 80 no 80000000-FFFFF000: Intel Corporation 82370AB-82370 F100 80CF no 80000000-FFFFF000: Intel Corporation 82370AB-82370 F100 80CF no 80000000-FFFFF000: PCI card#1 no 80000000-FFFFF000: Digital Equipment Corporation BiliShip 21100 (16x16/64/64-bit) no 80000000-FFFFF000: Intel Corporation 82370AB-82370 F100 80CF no parameter: Starting applications using 1000-14.4.0 no parameter: Loading driver... no parameter: Loading file... no parameter: Starting 1000-14.4.0 on all channels via 00000000 no Available: 1000-14.4.0 1000-14.4.0 1000-14.4.0 1000-14.4.0 1000-14.4.0 no Resource cleared no FREEBELL=ACORN-FREEBELL_ESE no FREEBELL must be executed here. FREEBELL=ACORN-FREEBELL_ESE no Run function returned. no 1000-14.4.0 no </pre>	
FreeLdr boot menu ⁵⁾	FreeLdr boot menu ⁶⁾



Version 0.0.4

OS/2 LX Executable (Win32 host) ⁷⁾	OS/2 LX Executable (L4 host) ⁸⁾
FreeDOS startup	argenv.exe (arguments and environment test)
sort.exe (DosOpen test)	

Version 0.0.5



1)

Here you can see result of FreeLDR, Kickstart, L4Ka:Pistachio, sigma0 server and initial screen of pingpong application.

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<http://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<http://ftp.osfree.org/doku/doku.php?id=en:screenshots&rev=1362967714>

Last update: **2013/03/10 23:00**

