Table of contents

- osFree wiki - Start page
- General info about osFree project
  - A foreword about OS/2
  - Petitions to IBM to opensource OS/2
  - About the project
  - osFree design and development concept
    - Architectural ideas
    - Personality-neutral (PN) services
    - OS/2 Personality
    - MVM (VDM/other VM's) Personality
    - Windows Personality
    - Linux Personality
  - FAQ
  - Legal issues and licensing
    - osFree general components license (BSD-like)
    - 4OS/2 license
    - OS/2 Toolkit copyright notice
  - osFree artwork (logos, etc.)
  - osFree Development status
  - osFree long-term roadmap
  - osFree screenshots
  - Download page
  - osFree OS/2 personality demo
  - Comparison of different OS/2-cloning projects
  - Third-party projects which code is reused in osFree
  - Project news
  - Project Newsletter
- Developing osFree
  - Complex tasks for developers
  - Simple tasks for developers
  - osFree development guidelines
  - osFree build environment
  - Netlabs CVS readme (obsolete, but still contains useful info)
- osFree Community
  - Web forum
  - Mailing list
  - IRC channel
  - Git repository
  - Issue tracker
- osFree project staff
  - Developers involved into osFree boot sequence project
    - Boot team members
  - Maintainers of osFree build system
    - Build team members
  - Web developers and web masters
    - Web team members
- Articles (russian)
  - Yuri Prokushev Article “Open Source and OS/2”

    - Yuri Prokushev Article “Open Source and OS/2, part 2”
    - Valery “valerius” Sedletski Article “L4 as a base of OS kernel”
    - Yuri Prokushev Interview to **Computerra-online** journal “OS/2: between past the and the future”
    - Our activist Vadim “Oxyd” Priluzkiy Report at **Chaos Constructions'2011** computer art festival
- fido7.su.os2 OS/2 FAQ (russian)
- Site map
- Documentation Index
    - The general osFree documentation and ideas
        - Building hard disk image for Bochs
        - Distribution and packaging for osFree (or any OS/2-like system)
    - Web-site maintaince guides and references
        - Generation 1 of osFree web site
        - Generation 2 of osFree web site
        - Generation 3 of osFree web site
        - Rules during any migration
    - Boot sequence
        - Boot process guides and references
        - osFree boot sequence (Memory map changing)
        - osFree boot sequence (Draft II)
        - A historical note about FreeLDR
        - Ideas inspired by OS2CSM
        - FreeLDR design and ideas
        - FreeLDR 0.0.2 release notes
        - About OS/2 booter
        - osFree boot sequence (From Kernel execution to root server execution)
        - osFree MBR loader
        - osFree boot sectors
        - Blackbox or MicroFSD
        - osFree boot sequence execution flow
    - Microkernel
        - Older L4 X.2 docs
            - IDL4 Manual
            - L4 Version X.2 Reference Manual
            - L4Ka:Kickstart
            - L4Ka::Pistachio and Afterburner build process
        - L4/Fiasco docs
            - L4/Fiasco build process
        - Newer Fiasco.OC docs
    - Personality neutral servers
        - Root server
        - Port Input Output server
        - KBD server
        - VIO server
        - Virtual File System servers
    - OS/2 personality
        - Architectural ideas behind OS/2 personality
        - OS/2 personality prototype status
        - Minimal API subset required for MiniCMD minishell
        - Installable File System

        - File System utilities
    - Installable Executable Format
    - Command Line Reference
    - Modules and their entry points
    - Presentation Manager
        - osFree PM architecture
        - osFree PM communication protocol
        - osFree PM current status
        - Original FreePM Documentation
            - FreePM terms
            - FreePM workflow
    - Build Level documentation
    - IBM's OS/2 Toolkit and DDK documentation
    - VIO API
    - CPI API
    - MVM server
    - main OS/2 server
    - os2exec server
    - filesystem server
    - libKAL library
    - DOSCALLS.DLL library
    - HTML-based docs (generated from IPF)
        - Command reference
        - osFree External command reference
        - IFS document from IBM (ifs.inf)
        - IBM's 16-bit OS/2 API reference (prcp.inf)
        - IBM's GRADD reference (gradd.inf)
        - REXX Tips and Tricks (rxtt.inf)
    - IBM docs (converted to wiki syntax)
        - ifs.inf
        - cmdref.inf
        - gradd.inf
- DOS personality
    - DOS API
    - Family API
- Win16 personality

From:
http://osfreeorgysalbcqrk3kqib55urra2mvtfmsoezcqwop2fed7jc64gqd.onion/doku/ - **osFree wiki**

Permanent link:
http://osfreeorgysalbcqrk3kqib55urra2mvtfmsoezcqwop2fed7jc64gqd.onion/doku/doku.php?id=en:toc

Last update: **2020/02/05 20:11**