

Command Reference (CMD/4OS/2)

- About Command reference
- The Command Line
 - Command-Line Editing
 - Command History and Recall
 - Command History Window
 - Command Names and Parameters
 - Filename Completion
 - Automatic Directory Changes
 - Directory History Window
 - Local and Global Directory History
 - Multiple Commands
 - Expanding and Disabling Aliases
 - Command Line Help
 - Command-Line Length Limits
- File Selection
 - Extended Parent Directory Names
 - Wildcards
 - Ranges
 - Date, Time, and Size Ranges
 - Date Ranges
 - Time Ranges
 - Size Ranges
 - File Exclusion Ranges
 - Multiple Filenames
 - Include Lists
 - Executable Extensions
- Directory Navigation
 - Extended Directory Searches
 - CDPATH
- Other Features
 - Page and File Prompts
 - Redirection and Piping
 - Redirection
 - Piping
 - Using the Keystack
 - Waiting for Applications to Finish
 - Critical Errors
 - Conditional Commands
 - Command Grouping
 - Escape Character
- Internal Commands
 - ? - List the internal commands
 - ACTIVATE - Activate a window
 - ALIAS - Create or display aliases
 - ATTRIB - Change or view file attributes
 - BEEP - Beep the speaker
 - CALL - Execute one batch file from another
 - CANCEL - Terminate batch file processing

- [CD](#) - Change the current directory
- [CDD](#) - Change the current drive and directory
- [CHCP](#) - Change the current code page
- [CLS](#) - Clear the screen
- [COLOR](#) - Change the display colors
- [COPY](#) - Copy files
- [DATE](#) - Change the system date
- [DEL](#) - Delete one or more files
- [DELAY](#) - Pause for a specified length of time
- [DESCRIBE](#) - Create or modify file descriptions
- [DETACH](#) - Start a program in detached mode
- [DIR](#) - Display directories
- [DIRHISTORY](#) - Display, read, or modify the directory history list
- [DIRS](#) - Display the directory stack
- [DO](#) - Create loops in batch files
- [DPATH](#) - Set the data search path
- [DRAWBOX](#) - Draw a box
- [DRAWHLINE](#) - Draw a horizontal line
- [DRAWVLINE](#) - Draw a vertical line
- [ECHO](#) and [:internal:echo|ECHOERR\]\]](#) - Display a message / set echo state
- [ECHOS](#) and [:internal:echos|EchosERR\]\]](#) - Display a message without CR/LF
- [ENDLOCAL](#) - Restore the saved environment
- [ESET](#) - Edit environment variables and aliases
- [EXCEPT](#) - Exclude files from a command
- [EXIT](#) - Exit CMD.EXE
- [FFIND](#) - Search for files
- [FOR](#) - Repeat a command
- [FREE](#) - Display total and free disk space
- [GLOBAL](#) - Execute a command all subdirectories
- [GOSUB](#) - Execute a subroutine in a batch file
- [GOTO](#) - Branch within a batch file
- [HELP](#) - Display help
- [HISTORY](#) - Manage the history list
- [IF](#) - Execute a command if a condition is true
- [IFF](#) - [:internal:if-then-else|IF\]\] / :internal:if-then-else|THEN\]\] / :internal:if-then-else|ELSE\]\]](#) conditional command execution
- [INKEY](#) - Get a character from the keyboard
- [INPUT](#) - Get a string from the keyboard
- [KEYBD](#) - Set the keyboard toggles
- [KEYS](#) - Enable or disable the history list
- [KEYSTACK](#) - Feed keystrokes to a program or command
- [LIST](#) - Display a file
- [LOADBTM](#) - Switch a batch file's mode
- [LOG](#) - Save a log of commands
- [MD](#) - Create a subdirectory
- [MEMORY](#) - Display memory statistics
- [MOVE](#) - Move files
- [ON](#) - Handle Ctrl-Break and errors in batch files
- [OPTION](#) - Modify the command processor configuration
- [PATH](#) - Set the executable file search path
- [PAUSE](#) - Suspend batch file or alias execution

- [POPD](#) - Restore the disk drive and directory
- [PROMPT](#) - Change the command-line prompt
- [PUSHD](#) - Save the disk drive and directory
- [QUIT](#) - Terminate a batch file
- [RD](#) - Remove subdirectories
- [REBOOT](#) - Reboot the system
- [REM](#) - Put a comment in a batch file
- [REN](#) - Rename files or subdirectories
- [RETURN](#) - Return from a subroutine in a batch file
- [SCREEN](#) - Position the cursor and display text
- [SCRPUT](#) - Display text in color
- [SELECT](#) - Select files for a command
- [SET](#) - Create or modify environment variables
- [SETDOS](#) - Set the CMD.EXE configuration
- [SETLOCAL](#) - Save the environment
- [SHIFT](#) - Shift batch file parameters
- [SHRALIAS](#) - Load or unload SHRALIAS.EXE
- [START](#) - Start a program in another session
- [SWITCH](#) - Select commands based on a value
- [TEE](#) - "Tee" pipe fitting
- [TEXT](#) - Display text in a batch file
- [TIME](#) - Set the system time
- [TIMER](#) - Start or stop a stopwatch
- [TITLE](#) - Window title
- [TOUCH](#) - Change date and time stamps
- [TREE](#) - Directory tree
- [TYPE](#) - Display file(s)
- [UNALIAS](#) - Remove aliases
- [UNSET](#) - Remove environment variables
- [VER](#) - Display the CMD.EXE and OS/2 version
- [VERIFY](#) - Enable or disable disk write verification
- [VOL](#) - Display disk volume labels
- [VSCRPUT](#) - Display text vertically and in color
- [WINDOW](#) - Change the window state or title
- [Y](#) - "Y" pipe fitting

- [External Commands](#)

- [Aliases](#)

- [Batch Files](#)

- [.BAT, .CMD, and .BTM Files](#)
- [Echoing in Batch Files](#)
- [Batch File Parameters](#)
- [Using Environment Variables](#)
- [Batch File Commands](#)
- [Interrupting a Batch File](#)
- [Automatic Batch Files](#)
- [Detecting CMD.EXE](#)
- [Using Aliases in Batch Files](#)
- [Debugging Batch Files](#)
- [Batch File String Processing](#)
- [Batch File Line Continuation](#)
- [Batch File Compression](#)

- Special Character Compatibility
- Command Parsing
- Argument Quoting
- REXX Support
- EXTPROC Support
- Environment Variables and Functions
 - CDPATH
 - cmdline
 - COLORDIR
 - COMSPEC
 - FILECOMPLETION
 - PATH
 - PATHEXT
 - PROMPT
 - Internal Variables
 - (null)
 - _?
 - (null)
 - (null)
 - _4VER
 - _ANSI
 - _APMAC
 - _APMBATT
 - _APMLIFE
 - _BATCH
 - _BATCHLINE
 - _BATCHNAME
 - _BG
 - _BOOT
 - _CI
 - _CMDPROC
 - _CO
 - _CODEPAGE
 - _COLUMN
 - _COLUMNS
 - _COUNTRY
 - _CPU
 - _CWD
 - _CWDS
 - _CWP
 - _CWPS
 - _DATE
 - _DAY
 - _DISK
 - _DNAME
 - _DOS
 - _DOSVER
 - _DOW
 - _DOWI
 - _DOY
 - _FG

- [_HLOGFILE](#)
- [_HOUR](#)
- [_KBHIT](#)
- [_LASTDISK](#)
- [_LOGFILE](#)
- [_MINUTE](#)
- [_MONITOR](#)
- [_MONTH](#)
- [_MOUSE](#)
- [_NDP](#)
- [_PID](#)
- [_PIPE](#)
- [_PPID](#)
- [_PTYPE](#)
- [_ROW](#)
- [_ROWS](#)
- [_SECOND](#)
- [_SHELL](#)
- [_SID](#)
- [_SYSERR](#)
- [_TIME](#)
- [_TRANSIENT](#)
- [_VIDEO](#)
- [_WINTITLE](#)
- [_XPIXELS](#)
- [_YEAR](#)
- [_YPIXELS](#)
- [en:docs:cmd:func|Variable Functions]]
 - [@ALIAS](#)
 - [@ASCII](#)
 - [@ATTRIB](#)
 - [@CDROM](#)
 - [@CHAR](#)
 - [@CLIP](#)
 - [@COMMA](#)
 - [@CONVERT](#)
 - [@DATE](#)
 - [@DAY](#)
 - [@DEC](#)
 - [@DESCRIPT](#)
 - [@DEVICE](#)
 - [@DISKFREE](#)
 - [@DISKTOTAL](#)
 - [@DISKUSED](#)
 - [@DOSMEM](#)
 - [@DOW](#)
 - [@DOWI](#)
 - [@DOY](#)
 - [@EAREAD](#)
 - [@EAWRITE](#)
 - [@EVAL](#)

- @EXEC
- @EXECSTR
- @EXETYPE
- @EXPAND
- @EXT
- @FILEAGE
- @FILECLOSE
- @FILEDATE
- @FILENAME
- @FILEOPEN
- @FILEREAD
- @FILES
- @FILESEEK
- @FILESEEKL
- @FILESIZE
- @FILETIME
- @FILEWRITE
- @FILEWRITEB
- @FINDCLOSE
- @FINDFIRST
- @FINDNEXT
- @FORMAT
- @FSTYPE
- @FULL
- @IF
- @INC
- @INDEX
- @INSERT
- @INSTR
- @INT
- @LABEL
- @LEFT
- @LEN
- @LINE
- @LINES
- @LOWER
- @MAKEAGE
- @MAKEDATE
- @MAKETIME
- @MONTH
- @NAME
- @NUMERIC
- @PATH
- @RANDOM
- @READSCR
- @READY
- @REMOTE
- @REMOVABLE
- @REPEAT
- @REPLACE
- @REXX

- [@RIGHT](#)
- [@SEARCH](#)
- [@SELECT](#)
- [@STRIP](#)
- [@SUBSTR](#)
- [@TIME](#)
- [@TIMER](#)
- [@TRIM](#)
- [@UNIQUE](#)
- [@UPPER](#)
- [@WILD](#)
- [@WORD](#)
- [@WORDS](#)
- [@YEAR](#)
- **CMD.INI**
 - [Modifying the .INI File](#)
 - [Using the .INI File](#)
 - [.INI File Sections](#)
 - [.INI File Directives](#)
 - [Initialization Directives](#)
 - [4StartPath](#)
 - [DirHistory \(directive\)](#)
 - [DuplicateBugs](#)
 - [HelpBook](#)
 - [History \(directive\)](#)
 - [INIQuery](#)
 - [LocalAliases](#)
 - [LocalDirHistory](#)
 - [LocalHistory](#)
 - [PauseOnError](#)
 - [SwapFilePath](#)
 - [TreePath](#)
 - [WindowState](#)
 - [WindowX, en:docs:cmd:ini:directives:init:window-geo|WindowY\]\], en:docs:cmd:ini:directives:init:window-geo|WindowWidth\]\], en:docs:cmd:ini:directives:init:window-geo|WindowHeight\]\]](#)
 - [Configuration Directives](#)
 - [AmPm](#)
 - [AppendToDir](#)
 - [BatchEcho](#)
 - [BeepFreq](#)
 - [BeepLength](#)
 - [CDDWinLeft, :ini:cfg:cddwin-geo|CDDWinTop\]\], :ini:cfg:cddwin-geo|CDDWinWidth\]\], :ini:cfg:cddwin-geo|CDDWinHeight\]\]](#)
 - [CommandSep](#)
 - [CursorIns](#)
 - [CursorOver](#)
 - [DecimalChar](#)
 - [DescriptionMax](#)
 - [DescriptionName](#)
 - [Descriptions](#)

- [EditMode](#)
- [EscapeChar](#)
- [EvalMax](#)
- [EvalMin](#)
- [ExecWait](#)
- [FileCompletion](#)
- [FuzzyCD](#)
- [HistCopy](#)
- [HistLogName](#)
- [HistMin](#)
- [HistMove](#)
- [HistWrap](#)
- [LineInput](#)
- [ListRowStart](#)
- [LogName](#)
- [NoClobber](#)
- [ParameterChar](#)
- [PathExt](#)
- [PopupWinLeft](#), en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinTop]], en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinWidth]], en:docs:cmd:ini:directives:cfg:popup-win-xxx|PopupWinHeight]]
- [Printer](#)
- [ScreenRows](#)
- [TabStops](#)
- [ThousandsChar](#)
- [UnixPaths](#)
- [UpperCase](#)
- [Color Directives](#)
 - [BrightBG](#)
 - [CDDWinColors](#)
 - [ColorDir](#)
 - [InputColors](#)
 - [ListboxBarColors](#)
 - [ListColors](#)
 - [ListStatusBarColors](#)
 - [PopupWinColors](#)
 - [SelectColors](#)
 - [SelectStatusBarColors](#)
 - [StdColors](#)
- [Key Mapping Directives](#)
 - [General Input Keys](#)
 - [Backspace](#)
 - [BeginLine](#)
 - [Del](#)
 - [DelToBeginning](#)
 - [DelToEnd](#)
 - [DelWordLeft](#)
 - [DelWordRight](#)
 - [Down](#)
 - [EndLine](#)
 - [EraseLine](#)

- ExecLine
- Ins
- Left
- NormalKey
- Right
- Up
- WordLeft
- WordRight
- Command-Line Editing Keys
 - AddFile
 - AliasExpand
 - CommandEscape
 - DelHistory
 - EndHistory
 - Help
 - LineToEnd
 - NextFile
 - NextHistory
 - NormalEditKey
 - PopFile
 - PrevFile
 - PrevHistory
 - SaveHistory
- Popup Window Keys
 - DirWinOpen
 - HistWinOpen
 - NormalPopupKey
 - PopupWinBegin
 - PopupWinDel
 - PopupWinEdit
 - PopupWinEnd
 - PopupWinExec
- LIST Keys
 - ListExit
 - ListFind
 - ListFindReverse
 - ListHex
 - ListHighBit
 - ListInfo
 - ListNext
 - ListPrevious
 - ListPrint
 - ListWrap
 - NormalListKey
- Advanced Directives
 - ClearKeyMap
 - Debug
 - Include
 - NextINIFile
- .INI File Examples
- Setup and Troubleshooting

- Starting CMD.EXE
- The CMD.EXE Help System
- Error Messages
- Troubleshooting, Service, and Support
 - Technical Support
 - Contacting JP Software
- What's New?
 - General Features and Enhancements
 - Command Line Editing
 - Command Changes
 - Variables and Functions
 - Startup and Configuration
 - Technical and Compatibility Enhancements
 - Bugs Fixed
- Reference Information
 - File Systems and File Name Conventions
 - Drives and Volumes
 - File Systems
 - Directories and Subdirectories
 - File Names
 - File Attributes and Time Stamps
 - Miscellaneous Reference Information
 - Colors and Color Names
 - Keys and Key Names
 - Popup Windows
 - Executable Files and File Searches
 - Reference Tables
 - ASCII Table
 - Key Codes and Scan Codes Table
 - Key Codes and Scan Codes Explanation
 - ANSI Codes
 - Glossary
 - Glossary - 4
 - Glossary - A
 - Glossary - B
 - Glossary - C
 - Glossary - D
 - Glossary - E
 - Glossary - F
 - Glossary - G
 - Glossary - H
 - Glossary - I
 - Glossary - K
 - Glossary - L
 - Glossary - M
 - Glossary - N
 - Glossary - O
 - Glossary - P
 - Glossary - R
 - Glossary - S
 - Glossary - T

- [Glossary - U](#)
- [Glossary - V](#)
- [Glossary - W](#)
- [Glossary - X](#)

- Created using Inf-PHP v.1 © 2003 Yuri Prokushev
- Created using Inf-HTML v.0.9b © 1995 :Peter Childs|<http://www.apanix.apana.org.au/~pjchild>s]]

From:

<https://ftp.osfree.org/doku/> - **osFree wiki**



Permanent link:

<https://ftp.osfree.org/doku/doku.php?id=en:docs:cmd:index&rev=1400910602>

Last update: **2014/05/24 10:08**