

# SVC\_ERROREXIT

Terminate MVM with an error message. This call displays a message and then terminates the current MVM session.

## Parameters

Register	Description
Stack (top)	Far pointer (segment:offset) to an ASCIIZ message string. The message is displayed by the host system before termination.

## Return Value

This function does not return; it terminates the MVM.

## Description

**SVC\_ERROREXIT** provides a way to terminate the MVM (Multiple Virtual DOS Machine) with a user-supplied error message. It is specific to the OS/2 MVDM environment and has no direct equivalent in DOS INT 21h (the closest is AH=4Ch, which terminates without a message).

Before invoking the call, the far pointer (segment and offset) of a null-terminated ASCII string must be pushed onto the stack. The host system (OS/2) will display the message and then terminate the virtual machine.

## Interface

```
/* SVC_ERROREXIT – terminate with error message (far pointer on stack) */  
extern void SvcErrorExit(const char far *msg);  
#pragma aux SvcErrorExit = \  
    "hlt"          \  
    "db 1"         \  
    "db NOT 1"     \  
    parm caller [] [msg] \  
    modify [ax bx cx dx];
```

## Example

### MASM

```
include macrolib.inc
```

```

push ds
push offset msg
@SvcErrorExit

msg db "Fatal error",0

```

### C

```

#include <svc.h>

void main(void) {
    SvcErrorExit("Fatal error");
}

```

## Notes

- The message string must be in the ASCIIZ format (zero-terminated).
- After this call, the MVM is terminated and control returns to the host operating system.
- Because the call never returns, no register values are preserved.

## See Also

- [SVC\\_EXIT](#) - terminate without a message.
- [INT 21h AH=4Ch](#) - DOS terminate with return code.

SVC API	
Supervisor calls	<a href="#">0</a> <a href="#">1</a> <a href="#">2</a> <a href="#">3</a> <a href="#">4</a> <a href="#">5</a> <a href="#">6</a> <a href="#">7</a> <a href="#">8</a> <a href="#">9</a> <a href="#">10</a> <a href="#">11</a> <a href="#">12</a> <a href="#">13</a> <a href="#">14</a> <a href="#">15</a> <a href="#">16</a> <a href="#">17</a> <a href="#">18</a> <a href="#">19</a> <a href="#">20</a> <a href="#">21</a> <a href="#">22</a> <a href="#">23</a> <a href="#">24</a> <a href="#">25</a> <a href="#">26</a> <a href="#">27</a> <a href="#">28</a> <a href="#">29</a> <a href="#">30</a> <a href="#">31</a> <a href="#">32</a> <a href="#">33</a> <a href="#">34</a> <a href="#">35</a> <a href="#">36</a> <a href="#">37</a> <a href="#">38</a> <a href="#">39</a> <a href="#">40</a> <a href="#">41</a> <a href="#">42</a> <a href="#">43</a> <a href="#">44</a> <a href="#">45</a> <a href="#">46</a> <a href="#">47</a> <a href="#">48</a> <a href="#">49</a> <a href="#">50</a> <a href="#">51</a> <a href="#">52</a> <a href="#">53</a> <a href="#">54</a> <a href="#">55</a> <a href="#">56</a> <a href="#">57</a> <a href="#">58</a> <a href="#">59</a> <a href="#">60</a> <a href="#">61</a> <a href="#">62</a> <a href="#">63</a> <a href="#">64</a> <a href="#">65</a> <a href="#">66</a> <a href="#">67</a> <a href="#">68</a> <a href="#">69</a> <a href="#">70</a> <a href="#">71</a> <a href="#">72</a> <a href="#">73</a> <a href="#">74</a> <a href="#">75</a> <a href="#">76</a> <a href="#">77</a> <a href="#">78</a> <a href="#">79</a> <a href="#">80</a> <a href="#">81</a> <a href="#">82</a> <a href="#">83</a> <a href="#">84</a> <a href="#">85</a>
Structures	<a href="#">FCB</a> <a href="#">XFCB</a> <a href="#">FILETIME</a> <a href="#">FILEDATE</a>

2024/11/07 03:44 · prokushev · [0 Comments](#)

From: <https://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link: <https://ftp.osfree.org/doku/doku.php?id=en:docs:mvm:api:1&rev=1773975796>

Last update: **2026/03/20 03:03**

