




Please help to find info about enries marked as *No info*


PMBIDI

| Ordinal | Name | Desc | Status |
|---------|---------------------------------|------|--------|
| 1 | PMBidi_Initialize | | |
| 10 | WIN16SETLANGINFO | | |
| 11 | WIN16QUERYLANGINFO | | |
| 12 | WIN16SETKBDLAYER | | |
| 13 | WIN16QUERYKBDLAYER | | |
| 14 | WIN16SETLANGVIEWER | | |
| 15 | WIN16QUERYLANGVIEWER | | |
| 18 | WIN16SETPROCESSLANGINFO | | |
| 19 | WIN16QUERYPROCESSLANGINFO | | |
| 20 | Win32SetLangInfo | | |
| 21 | Win32QueryLangInfo | | |
| 22 | Win32SetKbdLayer | | |
| 23 | Win32QueryKbdLayer | | |
| 24 | Win32SetLangViewer | | |
| 25 | Win32QueryLangViewer | | |
| 30 | Win32SetProcessLangInfo | | |
| 31 | Win32QueryProcessLangInfo | | |
| 40 | GPI16SETBIDIATTR | | |
| 41 | GPI16QUERYBIDIATTR | | |
| 50 | Gpi32SetBidiAttr | | |
| 51 | Gpi32QueryBidiAttr | | |
| 60 | Bidi_QueryCp | | |
| 61 | BIDI_16QUERYCP | | |
| 101 | PMBIDI_Get_StdDlgLang_Setting | | |
| 102 | PMBIDI_16GET_STDDLGLANG_SETTING | | |
| 110 | PMBIDI_String_To_BinVal | | |
| 111 | PMBIDI_BinVal_To_String | | |
| 112 | PMBIDI_Keyword_To_BinVal | | |
| 113 | PMBIDI_Get_HelpBidi_Setting | | |
| 200 | NLS16CONVERTBIDISTRING | | |
| 201 | NLS16EDITSHAPE | | |
| 202 | NLS16INVERSESTRING | | |
| 203 | NLS16SHAPEBIDISTRING | | |
| 204 | NLS16CONVERTBIDINUMERICS | | |
| 205 | Nls32ConvertBidiString | | |
| 206 | Nls32EditShape | | |
| 207 | Nls32InverseString | | |
| 208 | Nls32ShapeBidiString | | |
| 209 | Nls32ConvertBidiNumerics | | |

| Ordinal | Name | Desc | Status |
|---------|------------------------------|------|--------|
| 306 | layout_object_create | | |
| 307 | layout_object_destroy | | |
| 308 | layout_object_transform | | |
| 309 | layout_object_editshape | | |
| 310 | layout_object_setvalues | | |
| 311 | layout_object_getvalues | | |
| 400 | PMBIDI_16CP_TRANSLATE_STRING | | |
| 401 | PMBIDI_CpTranslateString | | |
| 450 | Bidi_MapSrcToTrg | | |
| 451 | Bidi_ClassifyCodepage | | |
| 452 | Bidi_IsStringBidi | | |
| 453 | Bidi_IsStringAllBidi | | |
| 454 | Bidi_ReverseString | | |
| 460 | Bidi_LayoutConvert | | |
| 461 | Bidi_LayoutEdit | | |
| 999 | ulProcess_BidiAttr | | |

| OS/2 DLLs | |
|---|--|
| Base API | DOSCALLS EMXWRAP SUB32 ANSICALL NLS MSG MONCALLS KBDSCALLS MOUCALLS VIOCALLS SESMGR BKSCALLS BMSCALLS BVSCALLS NAMPIPES QUECALLS OS2CHAR |
| Bidirectional NLS | BDCALLS BDCALLS32 BDIME BDBVH BDVIEW BDWPCLS BIDIPM PMBIDI |
| Unicode API | UCONV UNIKBD LIBUNI |
| BVH (Base Video Handlers) | BVHINIT BVHMPA BVHVGA BVHSVGGA BVHWNDW |
| GRADD subsystem | VMAN SOFTDRAW GRE2VMAN GENGRADD |
| IPF (Information Presentation facility) | HELPMGR HPMGRMRI MINXOBJ IBMHMGR NEWVIEW MINXMRI ERRTXT |
| REXX | REXX REXXAPI REXXUTIL REGINA |
| The core PM DLL's | PMMERGE PMMRGRES PMSHAPI PMSHLTKT PMGRE PMGPI PMDRAG PMCTLS PMMLE PMSPL PMVIOP PMWIN |
| Open32 | PMWINX MIRRORS REGISTRY |
| Intelligent Font Interface drivers | PMATM TRUETYPE PMUNIF FREETYPE PMPRE |
| Data Exchange | PMCLIP PMDDE PMDDEML |
| VDM PM interface | PMVDMH PMVDMP SEAMLESS SHIELD |
| WPS | PMWP PMWPMRU PMVDDROP |
| Miscellaneous | PMPIC PMTKT MVDM |
| SOM API | SOM SOMC |





2016/07/25 02:16 · prokushev · 0 Comments

From:

<https://osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://osfree.org/doku/doku.php?id=en:docs:os2:modules:pmbidi>

Last update: **2016/07/27 05:10**

