






Click on a thumbnail to enlarge. Oldest screenshots are shown first.


### osFree screenshots

#### Version 0.0.2

All screenshots in this section are of software currently under development.

<p><b>Boot Sequence</b></p> 	<p><b>With Original Bootsector</b></p> 
<p><b>Boot Sequence with LILO <sup>1)</sup></b></p> 	<p><b>OS/2 Test Application <sup>2)</sup></b></p> 
<p><b>OS/2 Application Output <sup>3)</sup></b></p> 	

#### Version 0.0.3

<p><b>OS/2 Personality server <sup>4)</sup></b></p> 	
<p><b>FreeLdr boot menu <sup>5)</sup></b></p>	<p><b>FreeLdr boot menu <sup>6)</sup></b></p>



### Version 0.0.4

OS/2 LX Executable (Win32 host) 7)	OS/2 LX Executable (L4 host) 8)
<p>OS/2 LX Executable (Win32 host) 7)</p> <p>The screenshot shows a window with a red 'X' icon in the top-left corner, indicating an error or failure.</p>	<p>OS/2 LX Executable (L4 host) 8)</p> <p>The screenshot shows a command prompt window with a list of memory addresses and their corresponding values, likely representing system memory or kernel data.</p>
FreeDOS startup	argenv.exe (arguments and environment test)
<p>FreeDOS startup</p> <p>The screenshot shows a window with a red 'X' icon in the top-left corner, indicating an error or failure.</p>	<p>argenv.exe (arguments and environment test)</p> <p>The screenshot shows a command prompt window displaying the output of the argenv.exe program, which tests arguments and environment variables.</p>
sort.exe (DosOpen test)	
<p>sort.exe (DosOpen test)</p> <p>The screenshot shows a command prompt window displaying the output of the sort.exe program, which tests the DosOpen function.</p>	

### Version 0.0.5



1)

Here you can see result of FreeLDR, Kickstart, L4Ka:Pistachio, sigma0 server and initial screen of pingpong application.

2)

Here you can see result of GRUB, Bootstrap, Fiasco and core servers with ongoing port/reimplementation of OS2Linux for L4 microkernel. Output to log server.

3)

Same as above, but output to graphical L4Con console.

4)

CONFIG.SYS already parsed and start of PROTSHELL execution

5)

simple menu

6)

full-featured menu

7)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of Win32 host

8)

This is native OS/2 application in LX format executed under OS/2 Personality server on top of L4 host

9)

menu screen

From:

<https://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://ftp.osfree.org/doku/doku.php?id=en:screenshots&rev=1362899330>

Last update: **2013/03/09 23:00**

