

[Q]: Как расширить LIBPATH, не перезагружая машины?

[A]: Denis Tonn

There are two new Environment variables, BEGINLIBPATH and ENDLIBPATH. When SET to a PATH string, they allow you to dynamically add to either the Beginning or End of the active CONFIG.SYS set LIBPATH. This will allow you to keep the LIBPATH short (faster) in the config.sys and also customize for those infrequently used apps. If you have occasion to use this feature, let us know what you think.

[A]: Alexander Belyaev (2:5035/13.15)

Перевод:

Есть две переменных окружения : BEGINLIBPATH и ENDLIBPATH . При внесении их в переменную PATH они позволяют вам добавлять переменную LIBPATH соответственно в начало или конец активного config.sys. Это позволяет сделать строку LIBPATH короче ( быстрее ) и выкинуть из нее ссылки на редко используемые приложения ( подгружая ссылки по мере необходимости ). Если Вам подвернется благоприятный случай для использования этих команд, дайте нам знать, что Вы думаете по этому поводу.

Например, если добавить в некоторой сессии следующую переменную

```
SET BEGINLIBPATH=D:\MYAPP\DLL;
```

то вначале динамические библиотеки для этой сессии будут искаться в в каталоге D:\MYAPP\DLL , а потом - в переменной LIBPATH, определенной в config.sys

From:

<https://www.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://www.osfree.org/doku/doku.php?id=ru:os2faq:os2gen:os2gen.061>

Last update: **2014/06/20 05:08**

