

[Q]: Конвертирование файлов Monkey Audio (APE + CUE) в WAV

[A]: Sasha Shost (2:5033/11)

jmac на яве (<http://jmac.sourceforge.net/>) требует java 1.4.2

пример декодинга апе в wav: `-decode.cmd- set JAVA_HOME=x:\java142 (место, где стоит java 1.4.2) set RUNJAVA="%JAVA_HOME%\bin\java" %RUNJAVA% -jar jmac.jar d x:/dir/file.ape x:/dir2/file.wav -`

ключи: Usage: `<Command> <Input file (wav or ape)> <Output file (wav or ape)>`

Commands:

d - decompress file

cX - compress file

```
X = 1 (Fast compression)
X = 2 (Normal compression)
X = 3 (High compression)
X = 4 (Extra High compression)
X = 5 (Insane compression)
```

v - verify file

tX - convert file

```
X = 1 (Fast compression)
X = 2 (Normal compression)
X = 3 (High compression)
X = 4 (Extra High compression)
X = 5 (Insane compression)
```

From:

<http://www.osfree.org/doku/> - **osFree wiki**

Permanent link:

<http://www.osfree.org/doku/doku.php?id=ru:os2faq:os2soft:os2soft.066>

Last update: **2014/06/20 05:08**

