

[Q]: Что интересенького во второй бете 2.99?

[A]: Felix Eng, Norbert Heller, Chuck Bogorad (2:5030/83)

During BOOTUP, pressing ALT-F2 will show the device drivers currently being loaded up. This is very useful for problem determination.

EDITOR

1. There is a new Editor called TEDIT (YEP : The TINI Editor)

in your c:\os2 directory

MMPM/2

1. The MMPM/2 Video player will play videos at fullscreen 1024*786

AVI as well as FLI and FLC

POINTERS

1. To change the system pointers, use the Mouse settings in the System Setup folder.

1. To create a set of custom pointers (say "Custom"), create the subdirectory x:\OS2\POINTERS\Custom. Look in another pointer

directory (say, x:\OS2\POINTERS\BLACK) for the proper names for the pointers, then create a pointer using the Icon Editor, placing the new file in x:\OS2\POINTERS\Custom. You can also copy the contents of another directory into x:\OS2\POINTERS\Custom, then modify the pointers by double-clicking on them.

ICONS

The following REXX script (placed in a CMD file) will (assuming a folder named 'Multimedia' exists directly on the desktop) change its open and close icons to the appropriate icons (assuming that the OS/2 desktop and mmos2 are both on drive E).

```
/* REXX */
call RxFuncAdd 'SysSetObjectData','RexxUtil','SysSetObjectData'
call SysSetObjectData "E:\DESKTOP\MULTIMEDIA",,
    "ICONFILE=E:\MMOS2\INSTALL\MMPMFLDR.ICO";
```

```
call SysSetObjectData "E:\DESKTOP\MULTIMEDIA",,
    "ICONNFIL=1,E:\MMOS2\INSTALL\MMPMFLD2.ICO";
```

Also note that the first SysSetObjectData could contain

```
ICONNFILE=0,E:\MMOS2\INSTALL\MMPMFLDR.ICO as its identical in function to  
ICONFILE=E:\MMOS2\INSTALL\MMPMFLDR.ICO.
```

LAUNCH PAD

1. Double-clicking on the desktop brings up the LaunchPad.
1. The 'Delete...' option on the LaunchPad popup menu removes this

effect. 

1. The name for the Launch Pad is FRONT PANEL in the doku

SYSTEM

1. Look in OS/2 System -> System Setup -> System -> Window (page 2) for settings on closing parent folders.

1. The accelerator key for the settings notebook on a popup menu is 'g.' The underbar is blocked by the tail of the 'g.'

1. Use the Desktop notebook page of the Desktop notebook to make your desktop permanent.

1. Use REIPL=YES in CONFIG.SYS to automatically reboot after a system trap or internal processing error.

1. Use SUPRESSPOPUPS=C to suppress the popup box for trap information and log the events in a file on C:.

1. Invoke VIEW with the /topic switch (e.g., VIEW /Shutdown) to search all libraries for the specified topic.

1. The display driver option WORKPLACE SHELL PALETTE AWARE only works for resolutions with 256 colors.

1. Your INI files as well as the Config.sys and Autoexec.bat will be saved into the directory c:\os2\archives when specified in the DESKTOP

Archives Settings Page

To recover these Archives Press ALT-F1 at startup and some options

will be displayed

Here you may also switch to VGA or have a command line at bootup

[A]: Alexander Belyaev (2:5035/13.15)

Перевод:

Во время загрузки, нажав Alt-F2 можно проследить за всеми загружаемыми драйверами. Это очень удобно для разрешения проблем при загрузке

EDITOR

Появился новый редактор - TEDIT (YEP : The TINI Editor)

MMPM/2

MMPM/2 Видео проигрыватель теперь играет AVI при разрешении 1024*786 так же хорошо, как FLI и FLC

POINTERS

Чтобы сменить указатель мыши, используйте Mouse->Settings в папке SYstem Setup
Чтобы использовать свой набор указателей, создайте директорию типа x:\os2\pointers\My_Pointers. Подглядите в соседнюю директорию, чтобы знать, как называются файлы, содержащие указатели, затем нарисуйте свои указатели, с помощью редактора иконок.

ICONS

Следующий REXX скрипт (помещенный в CMD файл) заменит иконки для папки Multimedia (предполагается, что система) установлена на диске E

```
/* REXX */  
call RxFuncAdd 'SysSetObjectData','RexxUtil','SysSetObjectData'  
call SysSetObjectData "E:\DESKTOP\MULTIMEDIA",,  
"ICONFILE=E:\MMOS2\INSTALL\MMPMFLDR.ICO";
```

```
call SysSetObjectData "E:\DESKTOP\MULTIMEDIA",,  
"ICONNFILE=1,E:\MMOS2\INSTALL\MMPMFLD2.ICO";
```

Also note that the first SysSetObjectData could contain

```
ICONNFILE=0,E:\MMOS2\INSTALL\MMPMFLDR.ICO as its identical in function to  
ICONFILE=E:\MMOS2\INSTALL\MMPMFLDR.ICO.
```

LAUNCH PAD

Если сделать на десктопе дабл-клик, появится пусковая панель (LaunchPad)
Орция 'Delete...' на его всплывающем меню убирает этот эффект

SYSTEM

Посмотрите в OS/2 System --> System Setup --> System --> Window (стр 2)
установки для закрытия родительского окна.
Клавиша "g" служит акселератором для вызова настроек всплывающего меню

Используйте закладку Desktop в книжке Desktop, чтобы сделать его неизменным (снять галочку Save Desktop Properties)

Используйте строчку REIPL=YES в CONFIG.SYS, чтобы автоматически перезагружать систему при трапах

SUPRESSPOPUPS=C будет скидывать информацию об ошибках и трапах в файл POPUP.LOG на диске C:.

Запустите VIEW с ключом /topic (напр., VIEW /Shutdown), чтобы найти все библиотеки, тносящиеся к данному ключу
Опция WORKPLACE SHELL PALETTE AWARE работает только для 256-цветных режимов видеоадаптера.

INI файлы сохраняются в директории c:\os2\archives

Для их восстановления нажмите Alt-F1 при загрузке и появится список опций

Также можно переключиться в VGA или загрузить командную строку

From:

<http://osfree.org/doku/> - osFree wiki

Permanent link:

<http://osfree.org/doku/doku.php?id=ru:os2faq:outdated:os2gen.079>

Last update: **2014/06/20 16:47**

