



Note: This API calls are shared between DOS and Win16 personality.

DPMI is a shared interface for DOS applications to access Intel 80286+ CPUs services. DOS DMPI host provides core services for protected mode applications. Multitasking OS with DOS support also provides DMPI in most cases. Windows standard and extended mode kernel is a DPMI client app. Standard and extended mode kernel differs minimally and shares common codebase. Standard Windows kernel works under DOSX extender. DOSX is a specialized version of 16-bit DPMI Extender (but it is standard DPMI host). Standard mode is just DPMI client, enhanced mode is DPMI client running under Virtual Machine Manager (really, multitasker which allow to run many DOS sessions). Both modes shares DPMI interface for kernel communication. The OS/2 virtual DOS Protected Mode Interface (VDPMI) device driver provides Version 0.9 DPMI support for virtual DOS machines. Win16 (up to Windows ME) provides Version 0.9 DPMI support. Windows in Standard Mode provides DPMI services only for Windows Applications, not DOS sessions.

DPMI host often merged with DPMI extender. Usually DPMI extender provide DPMI host standard services and DOS translation or True DPMI services.

2021/08/05 10:15 · prokushev · [0 Comments](#)

Int 31H, AH=00H, AL=0BH

Version

0.9

Brief

Get Descriptor

Input

```
AX = 000BH
BX = selector
ES:(E)DI = selector:offset of 8-byte buffer
```

Return

```
if function successful
Carry flag = clear
and buffer pointed to by ES:(E)DI contains descriptor
```

```

if function unsuccessful
Carry flag = set
AX = error code
8022H   invalid selector

```

Notes

Copies the local descriptor table (LDT) entry for the specified selector into an 8-byte buffer.

32-bit programs must use ES:EDI to point to the buffer. 16-bit programs should use ES:DI.

Refer to the rules for descriptor usage in Appendix D.

See also

Note

Text based on <http://www.delorie.com/djgpp/doc/dpmi/>

| DPMI | |
|-----------------|-----------------------------|
| Process manager | INT 2FH 1680H, 1687H |
| Signals | |
| Memory manager | |
| Misc | INT 2FH 1686H, 168AH |
| Devices | |

2021/08/13 14:23 · prokushev · 0 Comments

From:

<https://ftp.osfree.org/doku/> - **osFree wiki**

Permanent link:

<https://ftp.osfree.org/doku/doku.php?id=en:docs:dpmi:api:int31:00:0b>

Last update: **2021/08/27 01:42**

